



Tiarco Chemical Europe GmbH



TRCC Europe GmbH

Technical Data Sheet

OCTOWET 75 PG E

CHEMICAL DESCRIPTION: Proprietary sulfosuccinate blend

PRODUCT DESCRIPTION:

OCTOWET 75 PG E is very effective at low concentrations for applications as a high-speed wetting agent in dyeing and washing operations for the textile industry. Octowet 75 PG E is widely used as a penetrant and emulsifier for many textile applications in the areas of preparation, dyeing, and finishing. It is formulated so as to provide the surfactant in a non-flammable aqueous form. The recommended use level is 0.50 - 2.0 parts per hundred.

TYPICAL PROPERTIES:

Type:	Mixture
Aspect:	Colourless to yellowish liquid
Total solids (%):	min. 76.5
Diethylhexylmaleate (%):	max. 0.30
2-Ethylhexanol (%):	max. 1.2
Preservative:	Preservative free
pH:	5.5 – 7.0
Sulphite (%):	max. 0.5
Active matter (%):	68.0 – 71.0
Viscosity (mPa.s):	max. 800

STORAGE AND HANDLING:

Containers should be kept tightly closed. For bulk storage, stainless steel tanks are recommended. Recertification is recommended one year after date of shipment provided the material has been stored properly and containers remained unopened.

OCTOWET 75 PG E should be stored at temperatures between +15° and 30°C.

SAFETY:

Please refer to Safety Data Sheet

The information provided herein is believed to be reliable; however, no guarantees are made or liability assumed. Tiarco Chemical / TRCC makes no claims or warranties concerning the suitability of the product for a particular use or purpose. Possible patent rights, laws and regulations have to be observed on the recipients own responsibility.

Am Gut Baarking 12, D-46395 Bocholt; Tel.: +49 2871 234 76 0; Fax: +49 2871 234 76 44